# **STATEMENT**

**OF** 

WORK

(SOW)

FOR THE
REBUILD OF THE
AAV
VIEWER, NIGHT VISION

AN/VVS-2(V)1A

NSN 5855-01-096-0871

SOW-03-834-1-86386C-1/1

Dated: 21 February 2001

# STATEMENT OF WORK FOR THE REBUILD OF THE AAV VIEWER NIGHT VISION NSN 5855-01-096-0871

# Table of Content

<u>PARAGRAPH</u>	TITLE	<u>PAGE</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Document	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detailed Tasks	3
3.2.1	Phase I-Rebuild	3
3.2.2	Phase II-Inspection, Testing, and Acceptance	3
3.2.3	Phase III- Packaging, Handling, Storage, and	3
	Transportation (PHS&T)	
3.3	Configuration Management	4
3.4	Government Furnished Equipment (GFE)/Government	4
	Furnished Materiel (GFM)	
3.5	Contractor Furnished Materiel	4
3.6	Quality Assurance Provisions	4
4.0	Report/Documentation	5

# STATEMENT OF WORK FOR THE REBUILD OF THE AAV VIEWER NIGHT VISION AN/VVS-2(V)1A NSN 5855-01-096-0871

- 1.0 SCOPE. This Statement of Work (SOW), along with Drawing SM-D 771480-1, TM 11-5855-249-23 and TM 11-5855-249-23P establishes and sets forth tasks and identifies the work efforts that shall be performed by the contractor in the rebuild of the AAV Viewer, Night Vision AN/VVS-2(V)1A to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitations or restrictions". The AAV Viewer Night Vision, AN/VVS-2 (V)1A is identified by National Stock Number (NSN) 5855-01-096-0871.
- 1.1 <u>BACKGROUND</u>. Rebuild is defined as that maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications and subsequent reassembly of the item.
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Standards

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4160.21-M Defense Materiel Disposition Manual

TM 2350-45 DMA Standard Procedures

TM 11-5855-249-23&P Unit and Direct Support Maintenance Manual,

(Including Repair Parts and Special Tool List and Depot Maintenance Repair Parts) for Viewers,

Driver's Night Vision

**Engineering Drawing** 

SM-D-771480-1 Cage 80063

Viewer, Night Vision An/VVS-2 (V) 1A

DoD 4000.25-1-M

MILSTRIP Manual

NAVICPINST 4491.2A

Requisitioning of Contractor Furnished Materiel

from the Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC

Q9003-1994

Quality Systems-Model for Quality Assurance in

Final Inspection and Test

**Industry Standards (For Guidance)** 

ANSI/EIA-649

National Consensus Standards for Configuration

Management

Copies of Military Standards and Specifications are available from the DoD Single Stock Point, Document Automation and Product Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Commercial (215) 697-2179 or DSN 442-2179 or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of handbooks, publications and other Government documents required by the contractor in connection with specific SOW requirements shall be obtained, in writing, from: Commander, Marine Corps Logistics Bases, Attn: (Code 876), Albany, Georgia 31704-5000, Commercial (229) 639-5818/19, or DSN 567-5818/19. Copies of Drawings and Engineering Change Proposals required by the contractor shall be obtained in writing from Life Cycle Management Center, Attn: (Code 851-3), Marine Corps Logistics Bases, 814 Radford Blvd, STE 20302 Albany Georgia 31704-3020, Commercial (229) 639-6410 or DSN 567-6410.

### 3.0 Requirements

- 3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:
- a. Provide materiel, labor, facilities, and services necessary to troubleshoot, test, diagnose, engineer, integrate, install, rebuild, and calibrate as required to make the Viewer Night Vision, AN/VVS-2 (V) 1A, fully operational. Upon completion of the rebuild, the subject equipment shall be Condition Code "A".
- b. Conduct final-on-site testing which the Marine Corps Logistics Base, Albany, Georgia (MARCORLOGBASEALB), (Code 834-1) representative at his/her discretion, may witness.

- c. The contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the Viewer Night Vision specified in TM 11-5855-249-23, TM 11-5855-249-23P, TM 2350-45, and Engineering Drawing SM-D-771480-1, Cage 80063.
- d. Ensure all Viewers Night Vision meet the configuration of Engineering Drawing SM-D-771480-1, Cage 80063.
- e. All mandatory replacement parts identified in TM 11-5855-249-23 shall be replaced 100%. Economical replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. All parts shall be disposed of in accordance with DoD 4160.21-M.
- 3.2 <u>Detailed Tasks</u>. The following tasks describe the different phases for the rebuild of the Viewer Night Vision.
- 3.2.1 Phase I Rebuild. The contractor shall receive the Viewer Night Vision for rebuild. The contractor shall then disassemble the Viewer Night Vision into components and conduct the rebuild process. The contractor shall rebuild components in accordance with the requirements in TM 11-5855-249-23, TM 11-5855-249-23P, and this SOW. The contractor shall be responsible for supplying all equipment, tools, test equipment, and materiel's to conduct this effort. The contractor shall be responsible for the integration and assembly of all components. The configuration identification for the Viewer Night Vision is defined by the specifications annotated on the current revision level of Engineering Drawing SM-D-771480-1, Cage 80063. Upon completion of the rebuild, the Viewer Night Vision shall be in condition code "A". A Rebuild Data Plate shall be installed centered in the rear below the item identification plate. The rebuild data plate shall contain the following (REBUILT BY:) (INSPECTED BY:) and (DATE REBUILT:) The Plate shall be no more than .008 in thickness, "2 3/4"in length and 3/4"in height.

#### 3.2.2 Phase II - Inspection, Testing, and Acceptance

a. Inspection, testing, and acceptance of the Viewer Night Vision shall be conducted in accordance with TM 11-5855-249-23, TM 11-5855-249-23P, and ANSI/ISO/ASQC Q9003-1994. The contractor shall correct any deficiencies discovered.

#### 3.2.3 Phase III- Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The contractor shall be responsible for the application of preservation and packaging for items being repaired under the terms of this SOW. Items being prepared for long-term storage, or to overseas destinations shall be level "A" in accordance with MIL-STD 2073-1D, Method 55. Items being prepared for domestic shipment, immediate use, or short-term storage shall be to level "B" requirements.
  - b. Marking shall conform to MIL-STD-129.

c. The Marine Corps shall provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps shall be responsible for transportation costs associated with shipping of the Viewer, Night Vision to and from the contractor.

#### 3.3 Configuration Management

- a. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without, prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- b. The creation and submission of RFDs shall be accomplished using MEARS CREATE software, which resides at a secure web site, <a href="https://mearsweb.redstone.army.mil">https://mearsweb.redstone.army.mil</a>. The contractor shall request User-ID and password privileges from the contracting activity for the purpose of gaining access to the web site and creating RFDs. MEARS CREATE privileges for the contractor shall be limited to two representatives and shall provide their e-mail address to the contracting agency upon request. The contractor shall notify the contracting activity by electronic mail when completed MEARS RFDs are ready for formal submission and review. The contractor shall direct technical or functional questions concerning usage of MEARS CREATE software to the contracting activity for guidance.

#### 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into a product being manufactured/remanufactured under a contract/SOW. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA) at MARCORLOGBASEALB (MCA/Code 827-2) will coordinate required GFE and will maintain a central control on Marine assets in the Contractors possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature to establish a chain of custody and property responsibility for Marine Corps assets.

#### 3.5 Contractor Furnished Materiel (CFM)

The Marine Corps has adopted the Navy's procedures regarding CFM (NAVICPINST 4491.2A). In the event that CFM is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

#### 3.6 Quality Assurance Provisions

- 3.6.1 The performance of the contractor's quality of work performed, materiel provided and documents written shall be subject to in-process review and inspection by the MARCORLOGBASEALB (Code-834-1) representative during contract performance. Inspection may be accomplished at any work location. The MARCORLOGBASEALB (Code 834-1) representative requires at a minimum, two weeks notice of acceptance test to allow for sufficient time for MARCORLOGBASEALB (Code 834-1) representative to witness the test if he or she desires. Inspection by the MARCORLOGBASEALB (Code-834-1) representative of acceptance tests, materiel's and associated lists furnished hereunder does not relieve the contractor from any responsibility regarding defects or other failures to meet the SOW requirements which may be disclosed prior to final acceptance.
- 3.6.2 The contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9003-1994. The contractor's work shall be subject to inprocess reviews and inspections for compliance with these procedures and standards by MARCORLOGBASEALB (Code 834-1) representative. Noncompliance with these quality assurance procedures resulting in degraded quality of work may result in a stop-work order requiring action by the contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination. Notwithstanding such inspection, it shall be the contractor's responsibility to ensure that the entire system meets the performance requirements of this SOW.

#### 4.0 Report/Documentation

- 4.1 Report/Documentation that is required:
- a. The contractor shall provide a monthly Production Status Report summarizing the progress and status of the Viewer Night Vision.

#### **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

DD FORM 1423-1, AUG 96 (EG)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Deferse, Washington Headquarters Services, Directorate for Information Department of Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form

A. CONTRACT LINE	TEM NO.	B. EXHIBIT	T	C. CATEGORY:									
		<u> </u>	,		M OTHER								
D. SYSTEM/ITEM	Jannan Control II-	ni+	E. CONTRACT/PR	NO.	F. CONTRA	ACTOR							
	eapon Control Ur	1111						_		\ <u> </u>			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3, SUBTITLE					17. PRICE GROU			
A001	Production Status Report					Monthly Production Status Report							
4. AUTHORITY /Data Acquis			5. CONTRACT REFEREN			6. REQUIRING OFFICE	. (55.11			18. ESTIMATED Total Pric			
	MGMT-81255			SOW 4.1.a		MCLB/	A (834)	)					
7. DD 250 RFQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSION See Blk 16		14. DISTRIBUTION							
LT	The dome by	I REGUILE	negolitet	NEGOINED		THLY					b. COPIES		
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUER SUBMISSION	τ	a. ADDRESSEE	Draft	- FI	nai				
	A	<u> </u>						Reg	Repro				
16. REMARKS						MCLBA (834-1)	0	1	0				
Block 4 - Cont they do not ap	ractor format is a ply to this deliver	uthorizeo able: 10.	<ol> <li>Delete the fall 1, 10.2.3, 10.</li> </ol>	ollowing parag 2.5, 10.2.6, ai	raphs as nd 10.2.9.	}	<u> </u>			i : J			
	0.2.1.d, use Job (												
In paragraphs (Master Work	10.2.4 and 10.2.7 Schedule Line Ite	', replace m Numb	e "CLIN" with er).	"CLIN or MV	VSLIN"			-					
Blocks 10 and first submission	12 - The report sl n shall be 30 days	hall be su after the	bmitted on the contract awa	e tenth of each rd.	month. The	d							
	n Status Report sh nanRE@matcom.												
address: Hoffn	nanRE@matcom.	usmc.mil							<del> </del>				
Distribution St	atement A: Appro	oved for	public release,	, distribution is	unlimited.					i			
							<del>-</del>		-	1			
								<b> </b>	<u> </u>	J			
							<u> </u>						
						·	-						
							<del> </del>						
							-						
							<del> </del>						
										1			
							·		<u> </u>				
						-	1						
							1						
						M-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V							
										:			
										<b>!</b>			
										1			
										1			
										1			
										1			
							<u> </u>			l			
						15. TOTAL	0	1	0	[			
G. PREPARED BY	1.1		H. DATE	I. APPROVE	D BY		J. DATI	E		ĺ			
JE 11;	ffrace	-	2/ Feb 0	21 8	- Hoff	man	2/1	Est ,	01				

PREVIOUS EDITION MAY BE USED!

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. kisted in Block E

A, CONTRACT LINE ITEM NO.  AAV Veiwer, Night Vision		B. EXHIBIT	-	C. CATEGORY: TOP TM OTHER X							!
D. SYSTEM/ITEM		L	E. CONTRACT/PR NO.			CONTRACTOR					
1. DATA IYEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE GROUP
B001		Request	For Deviation	Configu	uration Mar	nageme	ent				
4. AUTHORITY (Data Acquisition Bocument No.) DI-CMAN-80640C			5. CONTRACT REFEREN	SOW 3.3		8. REQUIRING OFFICE					18. ESTIMATED TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT	18. FREQUENC				MCLBA (851)  14. DISTRIBUTION					
LT	REQUIRED	11. AS OF DA	ASREQ	See Bloc	k 16			b. COPIES			
8, APP CODE A	A	11. A5 UF UA	IE	SUBMISSION		a. Al	DDRESSEE	Draft	Fin Reg	al Hepro	
15. REMARKS		l		L			(PMAAV)	0	0	0	:
MEARS CREA Office.	ATE user-id and p	asssword	l will be assigi	ned by the Requ	iring	MCLB/	A (851-2)	0	1	0	
Blks 10 & 12: MICROSOFT	MEARS RFD tex (.doc) or ADOBE	t files sh (.pdf) fo	all be sumitted ormatted softw	l electronically ware products.	using						
Accompanying CCITT Group	figures to the tex 4 graphic file. Gr	t files sh	all be in a MI	CROSOFT form	at or						
dpı.											
Questions cond the Requiring (	erning MEARS C Office. POC is Do r email to: smithd	CREATE oug Smith	V8.1 function h and can be c	nality shall be di ontacted at DSN	rected to		-				
	on shall be accomfigmngmnt@matc										
mbmatcomcon	figmngmnt@matc	om.usmo	.mil	J							
Distribution St	atement A: Appro	oved for 1	public release.	Distribution is	unlimited.						<u> </u>
											l:
											!
								ļ <u> </u>			
G. PREPARED BY			H. DATE	I. APPROVED	BY	15. TOTAL		J. DATE	1	0	
$\Delta$	Coll.		3,11.	01 20	-: [[]][]	, , , , ,		4/	Z1.	אמנה	
DD FORM 1423-	1. AUG 96 (EG)		\frac{124}{PR}	EVIOUS EDITION MAY I	BE VSEV.		-	Page	of	Pages	<b>T</b> I

Designed using Perform Pro, WHS/DIOR, Aug 96